



**OXIDIZING COMPOSITION COMPRISING HYDROXYCARBOXYLIC
ACIDS AND SALTS THEREOF AS COMPLEXING AGENTS FOR
DYEING, BLEACHING OR PERMANENTLY RESHAPING KERATIN
FIBRES**

5

DESCRIPTION

TECHNICAL FIELD

The present invention relates to an oxidizing composition comprising hydroxycarboxylic acids and salts thereof as complexing agents for dyeing, bleaching or permanently reshaping keratin fibres, in particular human keratin fibres and more especially the hair.

The invention also relates to processes for dyeing, bleaching or permanently reshaping keratin fibres, and also to devices or "kits" for dyeing, bleaching or permanently reshaping keratin fibres.

PRIOR ART

It is known practice, to dye keratin fibres, such as human hair, to use dye compositions containing oxidation dye precursors, in particular ortho- or para-phenylenediamines, ortho- or para-aminophenols, and heterocyclic bases, which are generally known as oxidation bases. Oxidation dye precursors are colourless or weakly coloured precursors, which, when combined with oxidizing products, can give rise to coloured compounds and dyes via a process of oxidative condensation. The shades obtained with these oxidation bases can be varied by combining them with couplers or coloration modifiers, these agents being chosen from aromatic meta-diamines, meta-aminophenols, meta-diphenols and certain heterocyclic compounds.

The coloration generated by the application to the fibres to be coloured of dye compositions in the presence of oxidizing products may be for the purpose of colouring grey hair, but also for modifying the colour of natural or dyed hair. In the latter case, it is necessary, in particular when the desired colour is several tones below the initial colour of the hair to be dyed, to bleach the hair to be dyed prior to dyeing it.

There is also a need to lighten, and thus to bleach, the hair without, however, wishing to recolour it.

Two types of composition are generally used to bleach keratin fibres: compositions that are "oxidizing", since they contain one or more agents capable of oxidizing the melanin of the hair and thus of dissolving it in order to totally or partially remove it, and compositions that are, in contrast, "reducing", since they contain one or more reducing agents such as ascorbic acid or thiols, the latter compositions being intended more especially for bleaching hair that has previously been dyed with exogenous pigments.

As regards permanent reshaping, it is common practice to apply to hair that has been placed under tension beforehand, for example using rollers if the desired reshaping is curls, a composition containing one or more reducing agents so as to induce the opening of the disulphide bridges formed by the cysteine residues of the hair keratin, and then, generally after rinsing, to reoxidize the hair in order to fix its reshaping, by applying an oxidizing composition.

As regards the oxidizing compositions that are necessary for performing the fixing step, use is

usually made, in practice, of compositions based on aqueous hydrogen peroxide solution, sodium bromate or persalts, for instance sodium perborate.

Whether they are intended for dyeing,
5 bleaching or permanent reshaping, the oxidizing compositions contain, in principle, a complexing agent intended to complex the metal cations that may be present in trace amounts in these compositions, and also those that may be present on the hair, originating
10 from the ambient air, from the water with which this hair has been washed, or shampoos or other hair products with which the hair has been treated.

Specifically, it is very important to neutralize these metal cations, since they are capable
15 of catalysing oxidation reactions on the hair fibres, and of doing so in an uncontrolled manner, which may be reflected by severe adverse effects such as breaking of the hair or burning of the scalp.

The complexing agents that are currently
20 the most commonly used in oxidizing compositions for dyeing, bleaching or permanently reshaping keratin fibres are ethylenediaminetetraacetic acid (EDTA) and derivatives thereof, for instance diethylenetriamine-pentaacetic acid (DPTA), generally in weight
25 proportions of about 0.1% to 1%.

However, in the context of its research, the Applicant has found that EDTA and derivatives thereof have insufficient properties in compositions of this type. These findings, which are corroborated by
30 the results obtained by other research teams, justify the search for novel complexing agents.

A complexing agent intended to form part of the constitution of oxidizing compositions for dyeing, bleaching or permanently reshaping keratin fibres
35 should satisfy many requirements. Specifically, besides

the fact that it should have high complexing power with respect to metals so as to remove, or at the very least minimize, the risk of catalysis of oxidation reactions on the keratin fibres by the traces of metals possibly present in these compositions and on these fibres, it should be compatible, and especially should not react, with the other constituents, and in particular with the oxidizing agent(s). It should also be stable in solution, since, specifically, the oxidizing compositions are generally applied to the keratin fibres in the form of solutions. It should also be entirely harmless with respect to these fibres and to the skin, and especially should have no allergenic nature.

It is also desirable, out of concern for the environment, for it to be biodegradable, and for its production cost or purchase cost to allow it to be used in compositions intended to be sold not only to professionals but also in mass distribution.

Now, after extensive research conducted in this matter, the Applicant has discovered that, surprisingly, certain hydroxycarboxylic acids and salts thereof are capable of satisfying all these requirements and consequently of representing complexing agents of choice in oxidizing compositions for dyeing, bleaching and permanently reshaping keratin fibres.

This discovery forms the basis of the invention.

DESCRIPTION OF THE INVENTION

Thus, a first subject of the invention is an oxidizing composition for dyeing, bleaching or permanently reshaping keratin fibres comprising at least one oxidizing agent and at least one compound corresponding to the general formula (I) below:



in which:

- 5 • R represents a group CH_2OH or CO_2X , and
- X represents a hydrogen atom or a monovalent or divalent cation derived from an alkali metal, from an alkaline-earth metal, from a transition metal or from an organic amine, or an ammonium cation;
- 10 • with the proviso that, when R represents CH_2OH , the compound (I) is other than gluconic acid and the salts thereof.

15 It is pointed out that the term "gluconic acid salts" means the alkali metal salts, the alkaline-earth metal salts, the transition metal salts, the organic amine salts and the ammonium salts of gluconic acid.

20 Thus, the compounds of formula (I) in the context of the invention correspond to hydroxycarboxylic acids and to the corresponding hydroxycarboxylates.

25 Since formula (I) comprises 4 groups of chiral H-C-OH atoms, it goes without saying that this formula includes all the enantiomers and all the diastereoisomers of the compounds capable of satisfying this formula.

30 In accordance with the invention, the monovalent or divalent cation is preferably chosen from the group consisting of monovalent alkali metal cations, divalent alkaline-earth metal cations, divalent transition metal cations and monovalent cations derived from organic amines or from ammonium.

35 Examples of monovalent alkali metal cations

that may especially be mentioned include sodium (Na^+) and potassium (K^+), while examples of divalent alkaline-earth metal cations that may especially be mentioned include calcium (Ca^{2+}) and magnesium (Mg^{2+}).

5 For the purpose of the present invention, the term "transition metal" means a metal comprising an incomplete d subshell, more particularly in oxidation state II, such as cobalt (Co^{2+}), iron (Fe^{2+}), manganese (Mn^{2+}), zinc (Zn^{2+}) and copper (Cu^{2+}).

10 As regards the monovalent cations derived from organic amines, mention may be made of primary, secondary or tertiary amine cations or alternatively alkanolamine cations.

Said amines contain one or more radicals, 15 which may be identical or different, of linear or branched C_1 to C_{20} alkyl type, optionally comprising a heteroatom such as oxygen.

As regards the quaternary ammonium cations, these comprise three radicals, which may be identical 20 or different, chosen from hydrogen and a linear or branched C_1 to C_{20} alkyl radical, optionally comprising a heteroatom such as oxygen.

In accordance with the invention, the monovalent or divalent cation is preferably chosen from 25 the group consisting of monovalent alkali metal cations, divalent alkaline-earth metal cations and divalent transition metal cations.

When R represents a group CH_2OH , the compound(s) of formula (I) may be chosen from the group 30 consisting of mannonic acid, altronic acid, idonic acid, galactonic acid, talonic acid, gulonic acid and allonic acid, the alkali metal salts thereof, the alkaline-earth metal salts thereof, the transition metal salts thereof, the organic amine salts thereof 35 and the ammonium salts thereof, and mixtures thereof.

According to the invention, for the compounds of formula (I), R may advantageously represent a group CO_2X .

5

Thus, when R represents a group CO_2X , the compound(s) of formula (I) is(are) preferably chosen from the group consisting of mucic acid ($\text{C}_6\text{H}_{10}\text{O}_8$) - also known as galactaric acid -, glucaric acid ($\text{C}_6\text{H}_{10}\text{O}_8$),
10 mannaric acid ($\text{C}_6\text{H}_{10}\text{O}_8$), altraric acid, idaric acid, talaric acid, gularic acid and allaric acid, the alkali metal salts thereof, the alkaline-earth metal salts thereof, the transition metal salts thereof, the organic amine salts thereof, the ammonium salts
15 thereof, and mixtures thereof, for instance mixtures of mucic acid and of sodium mucate ($\text{C}_6\text{H}_8\text{O}_8\text{Na}_2$).

Preferably, the compound of formula (I) is mucic acid.

Preferably, the compound(s) of formula (I)
20 represent(s) from 0.001% to 10% by weight and better still from 0.001% to 5% by weight relative to the total weight of the oxidizing composition. The weight percentages are expressed relative to the acid form of the compound(s) of formula (I).

25 In accordance with the invention, the oxidizing composition comprises one or more oxidizing agents, which form the basis of its oxidizing properties and which may be chosen equally well from all the oxidizing agents which have been proposed for
30 use in the field of dyeing, bleaching and permanently reshaping keratin fibres. Among the oxidizing agents conventionally used that may be mentioned are hydrogen peroxide, urea peroxide, alkali metal bromates, persalts such as perborates, percarbonates and
35 persulphates, and peracids.

In all cases, the oxidizing agent(s) preferably represent(s) from 0.1% to 30% by weight and better still from 0.5% to 20% by weight of the total weight of the oxidizing composition.

5 Preferably, the oxidizing composition comprises, in addition to the compound(s) of formula (I) and the oxidizing agent(s), one or more constituents chosen from: (A) cationic or amphoteric conditioning polymers, (B) nonionic, anionic, cationic
10 or amphoteric amphiphilic polymers comprising a hydrophobic chain, (C) surfactants, (D) rheology modifiers other than the polymers (B), (E) pH modifiers and/or (F) solvents.

15 (A) Cationic or amphoteric conditioning polymers:

For the purposes of the present invention, the term "cationic conditioning polymer" means any polymer which comprises cationic groups or groups that can be ionized into cationic groups and which can
20 improve the cosmetic properties of keratin fibres, in particular the disentangling, the softness, the sheen and the volume.

The cationic or amphoteric conditioning polymers that are suitable are advantageously chosen
25 from those already known per se as improving the cosmetic properties of the hair, that is to say, especially, those described in patents and patent applications EP 337 354, FR 2 270 846, FR 2 383 660, FR 2 598 611, FR 2 470 596, FR 2 519 863, FR 2 788 974
30 and FR 2 788 976.

However, more specific examples of cationic conditioning polymers that may especially be mentioned include cationic polymers comprising at least primary, secondary, tertiary and/or quaternary amine groups,
35 which either may form part of the main polymer chain,

or may be borne by a side substituent directly attached thereto.

Thus, mention may be made of:

(1) copolymers of acrylamide and of
5 dimethylaminoethyl methacrylate quaternized with
dimethylsulphate or with a dimethylhalide (Hercofloc
from Hercules); copolymers of acrylamide and of
methacryloyloxyethyltrimethylammonium chloride (Bina
Quat P 100 from Ciba Geigy); the copolymer of
10 acrylamide and of methacryloyloxyethyltrimethylammonium
methosulphate (Reten from Hercules); quaternized or
non-quaternized vinylpyrrolidone/dialkylaminoalkyl
acrylate or methacrylate copolymers (Gafquat range from
ISP; Copolymer 845, 958 and 937 from ISP);
15 dimethylaminoethyl methacrylate/vinylcaprolactam/
vinylpyrrolidone terpolymers (Gaffix VC 713 from ISP);
vinylpyrrolidone/methacrylamidopropyl dimethylamine
copolymers (Styleze CC 10 from ISP); vinylpyrrolid-
one/dimethylaminopropylmethacrylamide quaternized
20 copolymers (Gafquat HS 100 from ISP);

(2) Cellulose ether derivatives comprising
quaternary ammonium groups, as described in
FR 1 492 597. These polymers are also defined in the
CTFA dictionary as quaternary ammoniums of
25 hydroxyethylcellulose that has reacted with an epoxide
substituted with a trimethylammonium group;

(3) Cationic cellulose derivatives such as
copolymers of cellulose or cellulose derivatives
grafted with a water-soluble quaternary ammonium
30 monomer, described especially in US 4 131 576, such as
hydroxyalkylcelluloses, for instance hydroxymethylcell-
ulose, hydroxyethylcellulose or hydroxypropylcellulose
grafted especially with a methacryloylethyltrimethyl-
ammonium, methacrylamidopropyltrimethylammonium or
35 dimethyldiallylammonium salt;

(4) The cationic polysaccharides described more particularly in patents US 3 589 578 and US 4 031 307, such as guar gums containing trialkylammonium cationic groups. Guar gums modified with a salt, for instance the chloride, especially 2,3-epoxypropyltrimethylammonium chloride, are used for example;

(5) Polymers consisting of piperazinyl units and of divalent alkylene or hydroxyalkylene radicals containing straight or branched chains, optionally interrupted with oxygen, sulphur or nitrogen atoms or with aromatic or heterocyclic groups, and also the oxidation and/or quaternization products of these polymers. Such polymers are described especially in FR 2 162 025 and FR 2 280 361;


(6) Water-soluble polyaminoamides prepared in particular by polycondensation of an acidic compound with a polyamine, which are optionally crosslinked, optionally alkylated, or, if they comprise one or more tertiary amine functions, quaternized. These polymers are described especially in FR 2 252 840 and FR 2 368 508;

(7) Polyaminoamide derivatives resulting from the condensation of polyalkylene polyamines with polycarboxylic acids followed by an alkylation with difunctional agents. Examples that may be mentioned include adipic acid-dialkylaminohydroxyalkyldialkylene-triamine polymers in which the alkyl radical is C₁-C₄. Such polymers are described especially in FR 1 583 363;

(8) Polymers obtained by reacting a polyalkylene polyamine comprising two primary amine groups and at least one secondary amine group with a dicarboxylic acid chosen from diglycolic acid and saturated C₃-C₈ aliphatic dicarboxylic acids, and then with epichlorohydrin. Such polymers are described especially in US 3 227 615 and US 2 961 347;


(9) Cyclopolymers of alkyldiallylamine or of dialkyldiallylammonium, in homopolymer or copolymer form, as described in FR 2 080 759 and in its Certificate of Addition No. 2 190 406;

5 (10) Diquaternary ammonium polymers as described in FR 2 320 330, FR 2 270 846, FR 2 316 271, FR 2 336 434, FR 2 413 907, US 2 273 780, US 2 375 853, US 2 388 614, US 2 454 547, US 3 206 462, US 2 261 002, US 2 271 378, US 3 874 870, US 4 001 432, US 3 929 990,
 10 US 3 966 904, US 4 005 193, US 4 025 617, US 4 025 627, US 4 025 653, US 4 026 945 and US 4 027 020; mention may be made, for example, of polymers comprising the following repeating units:



15 in which the radicals $\text{R}^1, \text{R}^2, \text{R}^3$ and R^4 which may be identical or different, denote a C_1 - C_4 alkyl or hydroxyalkyl radical, n and p are integers ranging from 2 to 20 and X^- is an anion derived from a mineral or organic acid;

20 (11) Poly(quaternary ammonium) polymers consisting of repeating units of formula:



in which p denotes an integer ranging from 1 to 6 approximately, D may be nothing or may represent a
 25 group $-(\text{CH}_2)_r-\text{CO}-$ in which r denotes a number equal to 4 or to 7, and X^- is an anion. Such polymers may be

prepared according to the processes described in
US 4 157 388, US 4 702 906, US 4 719 282 and
EP 122 324;

5 (12) Quaternary polymers of vinyl-
pyrrolidone and of vinylimidazole;

(13) Polyamines of the polyethylene glycol

(15) Tallow polyamine type (CTFA dictionary name);

(14) Crosslinked methacryloyloxy-
(C₁-C₄)alkyltri(C₁-C₄)alkylammonium salt polymers such
10 as the polymers obtained by homopolymerization of
dimethylaminoethyl methacrylate quaternized with methyl
chloride, or by copolymerization of acrylamide with
dimethylaminoethyl methacrylate quaternized with methyl
chloride, the homo- or copolymerization being followed
15 by crosslinking with a compound containing olefinic
unsaturation, in particular methylenebisacrylamide. A
crosslinked acrylamide/methacryloyloxyethyltrimethyl-
ammonium chloride copolymer (20/80 by weight) in the
form of a dispersion containing 50% by weight of said
20 copolymer in mineral oil (Salcare® SC 92 from Ciba) can
be used more particularly. A crosslinked
methacryloyloxyethyltrimethylammonium chloride
homopolymer containing about 50% by weight of the
homopolymer in mineral oil or in a liquid ester
25 (Salcare® SC 95, SC 96 from Ciba) can also be used.

Other cationic conditioning polymers that
can be used in the context of the invention are
polyalkyleneimines, in particular polyethyleneimines,
polymers containing vinylpyridine or vinylpyridinium
30 units, condensates of polyamines and of
epichlorohydrin, quaternary polyureylenes and chitin
derivatives.

The amphoteric conditioning polymer(s) that
may be present in the oxidizing composition may
35 themselves be chosen especially from polymers

comprising units K and M randomly distributed in the polymer chain, in which K denotes a unit derived from a monomer comprising at least one basic nitrogen atom and M denotes a unit derived from an acidic monomer comprising one or more carboxylic or sulphonic groups; alternatively K and M may denote groups derived from zwitterionic carboxybetaine or sulphobetaine monomers; alternatively, K and M denote a cationic polymer chain comprising primary, secondary, tertiary or quaternary amine groups, in which at least one of the amine groups bears a carboxylic or sulphonic group linked via a hydrocarbon-based radical; alternatively K and M form part of a chain of a polymer containing an α,β -dicarboxylic ethylene unit in which one of the carboxylic groups has reacted with a polyamine comprising one or more primary or secondary amine groups.

The amphoteric conditioning polymers corresponding to the above definition that are more particularly preferred are chosen from the following polymers:

(1) polymers resulting from the copolymerization of a monomer derived from a vinyl compound bearing a carboxylic group such as, more particularly, (meth)acrylic acid, maleic acid, α -chloroacrylic acid, or else a dialkyldiallylammonium salt such as dimethyldiallylammonium chloride, and a basic monomer derived from a substituted vinyl compound containing at least one basic atom, such as, more particularly, dialkylaminoalkyl methacrylate and acrylate, dialkylaminoalkylmethacrylamide and -acrylamide, as described in US 3 836 537. Mention may also be made of the sodium acrylate/acrylamidopropyltrimethylammonium chloride copolymer (Polyquart KE 3033 from Cognis) and the acrylic acid/dimethyldiallyl-

ammonium chloride copolymer (Merquat 280, 295, Plus 3330, from Nalco);


(2) polymers containing units derived from: a) at least one monomer chosen from (meth)acrylamides substituted on the nitrogen with an alkyl radical, in particular C₂-C₁₂, b) at least one acidic monomer containing one or more reactive carboxylic groups (for example (meth)acrylic acid, crotonic acid or itaconic acid, and monoesters of maleic or fumaric acids or anhydrides), and c) at least one basic monomer such as esters containing primary, secondary, tertiary and quaternary amine substituents of (meth)acrylic acid, fumaric acid or maleic acid, and the product of quaternization of dimethylaminoethyl methacrylate with dimethyl or diethyl sulphate. Octylacrylamide/acrylate/butylaminoethyl methacrylate copolymers (Amphomer or Lovocryl 47 by the company National Starch) are particularly used.

(3) Crosslinked and partially or totally alkylated polyaminoamides, derived from polyaminoamides of general formula $-[\text{CO}-\text{R}^5-\text{CO}-\text{Z}]-$ in which R⁵ is a divalent radical derived from a saturated or unsaturated dicarboxylic acid (for example adipic acid, 2,2,4-trimethyladipic acid, 2,4,4-trimethyladipic acid, terephthalic acid or itaconic acid), from an unsaturated monocarboxylic acid (for instance (meth)acrylic acid), from a C₁-C₆ alkyl ester of the abovementioned acids or from a radical derived from the addition of one of these acids to a bis-primary or bis-secondary amine, and Z denotes a radical of a bis-primary, mono- or bis-secondary polyalkylene-polyamine. Preferably, Z represents between 60 and 100 mol%, the radical $-\text{NH}-[(\text{CH}_2)_x-\text{NH}]_p-$ with x=2 and p=2 or 3, or x=3 and p=2; this radical is derived from diethylenetriamine, from triethylenetetramine or from dipropyl-


enetriamine; between 0 and 40 mol% the above radical, in which $x=2$ and $p=1$ and which is derived from ethylenediamine, or the radical derived from piperazine -N[CH₂CH₂]₂N-; between 0 and 20 mol%, the radical -NH-(CH₂)₆-NH- derived from hexamethylenediamine. The crosslinking agent for these polymers is a difunctional agent chosen from epihalohydrins, diepoxides, dianhydrides and bis-unsaturated derivatives, and alkylated by the action of acrylic acid, chloroacetic acid or an alkane sultone or the alkali metal salts thereof;

(4) Polymers comprising at least zwitterionic units, for instance the butyl methacrylate/dimethylcarboxymethylammonioethyl methacrylate copolymer (Diaformer Z301 from Sandoz);

(5) Polymers derived from chitosan comprising monomer units corresponding to formulae (I), (II) and (III) below:




with (I) representing from 0 to 30%, (II) from 5% to 50% and (III) from 30% to 90% in which R⁶ represents a radical of formula:



in which q denotes 0 or 1; and if $q=0$, R^7 , R^8 and R^9 , which may be identical or different, represent a hydrogen, a methyl, hydroxyl, acetoxy, amino, monoalkylamino or dialkylamino group, optionally interrupted with one or more nitrogen atoms and/or optionally substituted with one or more amine, hydroxyl or carboxyl groups, alkylthio groups optionally bearing an amino group, or sulphonic group; or, if $q=1$, R^7 , R^8 and R^9 , which may be identical or different, represent a hydrogen, and also the salts formed by these compounds with acids or bases;

(6) Polymers derived from the N-carboxyalkylation of chitosan, for instance N-carboxymethylchitosan or N-carboxybutylchitosan (Evalsan from Jan Dekker);

(7) Polymers as described in FR 1 400 366:



in which R^{10} is a hydrogen, CH_3O- , CH_3CH_2O- or phenyl, R^{11} and R^{14} , which may be identical or different, represent a hydrogen or an alkyl radical (methyl or ethyl), R^{13} represents an alkyl radical (methyl or ethyl) or a radical of formula $-R^{12}-N(R^{14})_2$, R^{12} representing $-(CH_2)_2-$, $-(CH_2)_3-$ or $-CH_2-CH(CH_3)-$ and also the higher homologues of these radicals and containing up to 6 carbon atoms, and r is such that the molecular

weight is between 500 and 6 000 000 and preferably between 1 000 and 1 000 000;

(8) Amphoteric polymers of the type $-D^1-X-D^1-X-$ chosen from:

5 a) polymers obtained by the action of chloroacetic acid or sodium chloroacetate on compounds comprising at least one unit of formula $-D^1-X-D^1-X-D^1-$ in which D^1 denotes a piperaziny radical and X denotes the symbol E or E', E or E', which may be identical or
10 different, denote a divalent radical which is an alkylene radical containing a straight or branched chain containing up to 7 carbon atoms in the main chain, optionally substituted with hydroxyl groups and possibly also comprising oxygen, nitrogen or sulphur
15 atoms, 1 to 3 aromatic and/or heterocyclic rings; the oxygen, nitrogen and sulphur atoms being present in the form of ether, thioether, sulfoxide, sulphone, sulphonium, alkylamine or alkenylamine groups, hydroxyl, benzylamine, amine oxide, quaternary
20 ammonium, amide, imide, alcohol, ester and/or urethane groups;


 b) polymers of formula $-D^1-X-D^1-X-$ in which D^1 denotes a piperaziny radical and X denotes the symbol E or E' and at least once E'; E having the
25 meaning given above and E' being a divalent radical which is an alkylene radical with a straight or branched chain having up to 7 carbon atoms in the main chain, which is unsubstituted or substituted with one or more hydroxyl radicals and containing one or more
30 nitrogen atoms, the nitrogen atom being substituted with an alkyl chain which is optionally interrupted by an oxygen atom and necessarily containing one or more carboxyl functions or one or more hydroxyl functions and betainized by reaction with chloroacetic acid or
35 sodium chloroacetate;

(9) (C₁-C₅)alkyl vinyl ether/maleic anhydride copolymers partially modified by semiamidation with an N,N-dialkylaminoalkylamine such as N,N-dimethylaminopropylamine or by semiesterification with an N,N-dialkanolamine. These copolymers can also contain other vinyl comonomers such as vinylcaprolactam.


Among the cationic or amphoteric conditioning polymers that may be used, the following are especially preferred:

(i) among the cationic polymers:

- the dimethyldiallylammonium chloride homopolymer (Merquat 100 from Nalco);
- copolymers of dimethyldiallylammonium chloride and of acrylamide (Merquat 2200 from Nalco);
- polymers of poly(quaternary ammonium) type prepared and described in FR 2 270 846, consisting of repeating units of formulae (W) and (U) below:



and especially those with a molecular weight, determined by gel permeation chromatography, of between 9 500 and 9 900;



and especially those with a molecular weight, determined by gel permeation chromatography, of about 1 200;

- polymers of poly(quaternary ammonium) type of the family (11) with X⁻ denoting chlorine, and especially those with a weight-average molecular mass of less than 100 000 and preferably less than or equal to 50 000;

(ii) among the amphoteric polymers:

- dimethyldiallylammonium chloride/acrylic acid copolymer (80/20) (Merquat 280 from Nalco - CTFA name: Polyquaternium 22);
- dimethyldiallylammonium chloride/acrylic acid copolymer (95/5) (Merquat 295 from Nalco);
- methacrylamidopropyltrimonium chloride, acrylic acid and ethyl acrylate copolymer (Merquat 2001 from Nalco - CTFA name: Polyquaternium 47);
- acrylamide/dimethyldiallylammonium chloride/acrylic acid terpolymer (Merquat Plus 3330 from Nalco - CTFA name: Polyquaternium 39).

When the oxidizing composition comprises one or more cationic or amphoteric conditioning polymers, this or these polymer(s) then generally represent from 0.01% to 10% by weight and preferably from 0.05% to 5% of the total weight of this composition.

(B) Nonionic, anionic, cationic or amphoteric amphiphilic polymers comprising a hydrophobic chain:

More particularly, the hydrophobic chain is a saturated or unsaturated, aromatic or non-aromatic, linear or branched C₆-C₃₀ hydrocarbon-based chain, optionally comprising one or more oxyalkylene (oxyethylene and/or oxypropylene) units.

Among the cationic amphiphilic polymers comprising a hydrophobic chain that may be found are cationic polyurethanes or cationic copolymers comprising vinyl lactam units and in particular
5 vinylpyrrolidone units.

Preferably, the amphiphilic polymers comprising a hydrophobic chain will be of nonionic or anionic nature.

As examples of nonionic amphiphilic
10 polymers containing a hydrophobic chain, mention may be made, inter alia, of:

(1) celluloses modified with groups comprising at least one saturated or unsaturated, linear or branched C_6 - C_{30} hydrocarbon-based chain, for
15 instance hydroxyethylcelluloses modified with groups comprising at least one hydrophobic chain as defined previously, such as especially Natrosol Plus Grade 330 CS (C_{16} alkyls - sold by the company Aqualon); Bermocoll EHM 100 (sold by the company Berol Nobel),
20 Amercell Polymer HM-1500 (hydroxyethylcellulose modified with a polyethylene glycol (15) nonylphenyl ether group - sold by the company Amerchol);

(2) hydroxypropyl guar modified with groups comprising at least one hydrophobic chain as
25 defined, for example Jaguar XC-95/3 (C_{14} alkyl chain - sold by the company Rhodia Chimie); Esaflor HM 22 (C_{22} alkyl chain - sold by the company Lamberti); RE210-18 (C_{14} alkyl chain) and RE205-1 (C_{20} alkyl chain) sold by the company Rhodia Chimie;

(3) copolymers of vinylpyrrolidone and
30 of hydrophobic monomers containing a hydrophobic chain as defined above, for instance Antaron or Ganex V216 (vinylpyrrolidone/hexadecene copolymers); Antaron or Ganex V220 (vinylpyrrolidone/eicosene copolymers), sold
35 by the company I.S.P.;

(4) copolymers of C_1 - C_6 alkyl (meth)acrylates and of amphiphilic monomers containing a hydrophobic chain;

5 (5) copolymers of hydrophilic (meth)acrylates and of hydrophobic monomers comprising at least one hydrophobic chain, for instance the polyethylene glycol methacrylate/lauryl methacrylate copolymer;

10 (6) polymers with an aminoplast ether skeleton containing at least one fatty chain, such as the Pure Thix compounds sold by the company Süd-Chemie;

(7) linear (block structure), grafted or starburst polyurethane polyethers comprising in their chain at least one hydrophilic block, which is
15 generally a polyoxyethylene block which may comprise between 50 and 1 000 oxyethylene units approximately, and at least one hydrophobic block, which may comprise aliphatic groups alone, optionally combined with cycloaliphatic and/or aromatic blocks. Preferably, the
20 polyurethane polyethers comprise at least two C_6 - C_{30} hydrocarbon-based hydrophobic chains, separated by a hydrophilic block; the hydrophobic chains may be pendent chains or chains with one or more of the end groups of the hydrophilic block(s).

25 The polyurethane polyethers comprise a urethane bond between the hydrophilic blocks, but may also contain hydrophilic blocks linked to the lipophilic blocks via other chemical bonds.

The polyurethane polyethers are in
30 particular those described in the article by G. Fonnum, J. Bakke and Fk. Hansen - Colloid Polym. Sci. 271, 380-389 (1993). Examples of polyurethane polyethers that may be mentioned include Nuvis FX 1100 (European and US INCI name "Steareth-100/PEG-136/HMDI Copolymer"
35 sold by the company Servo Delden); Rheolate 205, 208,

204 or 212 (sold by the company Rheox); Elfacos T210 (C₁₂-C₁₄ alkyl chain) and Elfacos T212 (C₁₈ alkyl chain) sold by the company Akzo.

5 The anionic amphiphilic polymers containing a hydrophobic chain that may be used comprise, as hydrophobic chain, at least one saturated or unsaturated, aromatic or non-aromatic, linear or branched C₈-C₃₀ hydrocarbon-based chain.

10 More particularly, the anionic amphiphilic polymers comprising at least one hydrophobic chain which are crosslinked or non-crosslinked, comprise at least one hydrophilic unit derived from one or more ethylenically unsaturated monomers bearing a carboxylic
15 acid function, or a sulphonic function which is free or partially or totally neutralized, and at least one hydrophobic unit derived from one or more ethylenically unsaturated monomers bearing a hydrophobic side chain, and optionally at least one crosslinking unit derived
20 from one or more polyunsaturated monomers.

 Anionic amphiphilic polymers of the type described above are described and prepared, for example, in patents US 3 915 921 and US 4 509 949 (copolymers of (meth)acrylic acid and of C₁₀-C₃₀ alkyl
25 (meth)acrylates) or in patent EP 216 479 (copolymers of (meth)acrylic acid and of fatty alkyl allyl ethers).

 The amphiphilic polymers comprising at least one sulphonic group, in free or partially or totally neutralized form and at least one hydrophobic
30 portion are described, for example, in FR 00/16954 and FR 01/00328, the content of which forms an integral part of the present invention.

 Among these, mention may be made more particularly of acrylamido-2-methyl-2-propanesulphonic
35 (AMPS) acid/n-dodecylacrylamide copolymer neutralized

with sodium hydroxide, the copolymer crosslinked with methylenebisacrylamide consisting of 75% by weight of AMPS units neutralized by NH_3 and 25% by weight of Genapol T-250 acrylate units, the copolymer crosslinked
5 with allyl methacrylate consisting of 90% by weight of AMPS units neutralized with NH_3 and 10% by weight of Genapol T-250 methacrylate units, or the copolymer crosslinked with allyl methacrylate consisting of 80% by weight of AMPS units neutralized with NH_3 and 20% by
10 weight of Genapol T-250 methacrylate units.

Examples of preferred polymers that may be mentioned include Carbopol ETD-2020 (acrylic acid/ C_{10} - C_{30} alkyl methacrylate crosslinked copolymer - sold by the company Noveon); Carbopol 1382, Pemulen TR1
15 and Pemulen TR2 (acrylic acid/ C_{10} - C_{30} alkyl acrylate crosslinked copolymers - sold by the company Noveon), the methacrylic acid/ethyl acrylate/oxyethylenated stearyl methacrylate copolymer (55/35/10); the (meth)acrylic acid/ethyl acrylate/25 EO oxyethylenated
20 behenyl methacrylate copolymer (Aculyn 28 sold by Rohm & Haas) and the methacrylic acid/ethyl acrylate/steareth-10 allyl ether crosslinked copolymer.

When the oxidizing composition comprises one or more amphiphilic polymer(s) containing a hydrophobic chain, then this or these polymer(s) generally
25 represent(s) from 0.05% to 20% by weight and better still from 0.1% to 10% of the total weight of this composition.

30 (C) Surfactants:

The surfactant(s) that may be present in the oxidizing composition may be chosen, without preference, from anionic, nonionic, amphoteric and cationic surfactants.

Anionic, nonionic, amphoteric or cationic surfactants that are suitable for use in the invention are especially the following:

5 • anionic surfactants:

By way of examples of anionic surfactants that may be used, alone or as mixtures, mention may be made of salts, in particular alkaline salts (sodium salts, magnesium salts, ammonium salts, amine salts,
10 amino alcohol salts, etc.) of the following compounds: alkyl sulphates, alkyl ether sulphates, alkylamido ether sulphates, alkylarylpolyether sulphates, monoglyceride sulphates; alkyl sulphonates, alkyl phosphates, alkylamide sulphonates, alkylaryl sulphonates,
15 α -olefin sulphonates, paraffin sulphonates; (C₆-C₂₄)alkyl sulphosuccinates, (C₆-C₂₄)alkyl ether sulphosuccinates, (C₆-C₂₄)alkylamide sulphosuccinates; (C₆-C₂₄)alkyl sulphoacetates; (C₆-C₂₄)acyl sarcosinates; and (C₆-C₂₄)acyl glutamates.

20 Mention may also be made of (C₆-C₂₄)alkylpolyglycoside carboxylic esters such as alkylpolyglucoside citrates, alkylpolyglucoside tartrates, alkylpolyglucoside sulphosuccinates and alkylpolyglucoside sulphosuccinamates; acyl
25 isethionates and N-acyl taurates, the alkyl or acyl radical of all of these different compounds preferably containing from 12 to 20 carbon atoms and the aryl radical preferably denoting a phenyl or benzyl group.

It is also possible to use fatty acid salts
30 such as the salts of oleic, ricinoleic, palmitic and stearic acid, and the salts of coconut oil acid or hydrogenated coconut oil acid; acyl lactylates in which the acyl radical contains 8 to 20 carbon atoms; alkyl D-galactoside uronic acids and their salts;
35 polyoxyalkylenated (C₆-C₂₄)alkyl ether carboxylic acids,

polyoxyalkylenated (C_6 - C_{24})alkylamido ether carboxylic acids and their salts, in particular those comprising from 2 to 50 alkylene oxide groups and more especially ethylene oxide groups, and mixtures thereof.

5 • nonionic surfactants:

Nonionic surfactants are compounds that are well known per se (see for example the "Handbook of Surfactants" by M.R. Porter, published by Blackie & Son (Glasgow and London), 1991, pp. 116-178) and their
10 nature is not a critical feature in the context of the present invention.

Thus, used alone or as mixtures, they can be chosen especially from polyethoxylated and polypropoxylated, alkylphenols, α -diols or alcohols
15 having a fatty chain containing, for example, 8 to 18 carbon atoms, it being possible for the number of ethylene oxide or propylene oxide groups to range in particular from 2 to 50; copolymers of ethylene oxide and of propylene oxide, condensates of ethylene oxide
20 and of propylene oxide with fatty alcohols; polyethoxylated fatty amides preferably having from 2 to 30 mol of ethylene oxide, polyglycerolated fatty amides containing on average 1 to 5, and in particular 1.5 to 4, glycerol groups; oxyethylenated fatty acid
25 esters of sorbitan having from 2 to 30 mol of ethylene oxide; fatty acid esters of sucrose, fatty acid esters of polyethylene glycol; alkylpolyglycosides; N-alkylglucamine derivatives, and amine oxides such as (C_{10} - C_{14})alkylamine oxides or N-acylaminopropyl-
30 morpholine oxides.

• amphoteric surfactants:

The amphoteric (or zwitterionic) surfactants, the nature of which is not a critical feature in the context of the present invention, may be
35 chosen especially, alone or as mixtures, from aliphatic

secondary or tertiary amine derivatives in which the aliphatic radical is a linear or branched chain containing 8 to 18 carbon atoms and containing at least one water-solubilizing anionic group, for example
5 carboxylate, sulphonate, sulphate, phosphate or phosphonate.

Mention may also be made of (C₈-C₂₀)alkylbetaines, sulphobetaines, (C₈-C₂₀)alkyl-amido(C₁-C₆)alkylbetaines or (C₈-C₂₀)alkylamido(C₁-C₆)-
10 alkylsulphobetaines.

Among the amine derivatives, mention may be made especially of the products sold by the company Rhodia Chimie under the trade name Miranol[®], which are described in US 2 528 378 and US 2 781 354 and
15 classified in the CTFA dictionary, 5th edition, 1993, under the names "disodium cocoamphodiacetate", "disodium lauroamphodiacetate", "disodium caprylamphodiacetate", "disodium capryloamphodiacetate", "disodium cocoamphodipropionate", "disodium lauroamphodipropionate",
20 "disodium caprylamphodipropionate", "disodium capryloamphodipropionate", "lauroamphodipropionic acid" and "cocoamphodipropionic acid".

• cationic surfactants:

As cationic surfactants that may be used,
25 alone or as mixtures, mention may be made of salts of optionally polyoxyalkylenated primary, secondary or tertiary fatty amines; quaternary ammonium salts such as tetraalkylammonium, alkylamidoalkyltrialkylammonium, trialkylbenzylammonium, trialkylhydroxyalkylammonium or
30 alkylpyridinium chlorides or bromides; imidazoline derivatives; and amine oxides of cationic nature.

When the oxidizing composition comprises one or more surfactants, then this or these agent(s) generally represent(s) from 0.01% to 40% by weight and

better still from 0.1% to 30% of the total weight of this composition.

(D) Rheology modifiers other than the polymers (B):

5 For the purposes of the present invention, the term "rheology modifier" means any compound capable of giving a viscosity to the oxidizing composition such that, once it is applied onto keratin fibres, this composition does not run, and remains perfectly
10 localized at the point of application

 It should be noted that said agent described below lacks a hydrophobic chain, i.e. a saturated or unsaturated, aromatic or non-aromatic, linear or branched C_8 - C_{30} hydrocarbon-based chain
15 optionally comprising one or more oxyalkylene (oxyethylene and/or oxypropylene) units.

 The rheology modifier(s) that may be present in the oxidizing composition is (are) polymers of natural origin or synthetic polymers, and are
20 advantageously chosen from those conventionally used in cosmetics.

 Examples of synthetic polymers that may be mentioned include polyvinylpyrrolidone, polyacrylic acid, polyacrylamide, non-crosslinked poly(2-acrylamidopropanesulphonic acid) (Simugel EG from the
25 company SEPPIC), crosslinked poly(2-acrylamido-2-methylpropanesulphonic acid), free or partially neutralized with ammonia (Hostacerin AMPS from Clariant), mixtures of non-crosslinked poly(2-acrylamido-2-methylpropanesulphonic acid) with hydroxyalkyl-
30 cellulose ethers or with poly(ethylene oxide)s, as described in patent US 4 540 510; mixtures of poly((meth)acrylamido(C_1 - C_4)alkylsulphonic acid), which is preferably crosslinked, with a crosslinked copolymer

of maleic anhydride and of a (C₁-C₅)alkyl vinyl ether (Hostacerin AMPS/Stabileze QM from the company ISF).

The thickening polymers of natural origin
5 are preferably polymers comprising at least one sugar unit, for instance nonionic guar gums, optionally modified with C₁-C₆ hydroxyalkyl groups; biopolysaccharide gums of microbial origin, such as scleroglucan gum or xanthan gum; gums derived from
10 plant exudates, such as gum arabic, ghatti gum, karaya gum, gum tragacanth, carrageenan gum, agar gum and carob gum; pectins; alginates; starches; hydroxy(C₁-C₆)alkylcelluloses and carboxy(C₁-C₆)alkylcelluloses.

15 It should be noted that the term "sugar unit" denotes a monosaccharide (i.e. monosaccharide or oside or simple sugar) portion, an oligosaccharide portion (short chains formed from a sequence of monosaccharide units, which may be different) or a
20 polysaccharide portion [long chains consisting of monosaccharide units, which may be different, i.e. polyholosides or polyosides]. The saccharide units may also be substituted with alkyl, hydroxyalkyl, alkoxy, acyloxy or carboxyl radicals, the alkyl radicals
25 containing from 1 to 4 carbon atoms.

Examples of nonionic, unmodified guar gums that may be mentioned, inter alia, include Guargel D/15 (Noveon); Vidogum GH 175 (Unipeptine), Meypro-Guar 50 and Jaguar C (Meyhall/Rhodia Chimie); and the modified
30 nonionic guar gums that may be mentioned include Jaguar HP8, HP60, HP120, DC 293 and HP 105 (Meyhall/Rhodia Chimie); Galactasol 4H4FD2 (Aqualon).

The biopolysaccharide gums of microbial or plant origin are well known to those skilled in the art
35 and are described especially in the book by Robert L.

Davidson entitled "Handbook of Water soluble gums and resins" published by McGraw Hill Book Company (1980).

Among these gums, mention will be made of scleroglucans such as, especially, Actigum CS from
5 Sanofi Bio Industries; Amigel from Alban Muller International, and also the glyoxal-treated scleroglucans described in FR 2 633 940); xanthan gums, for instance Keltrol, Keltrol T, Keltrol Tf, Keltrol Bt, Keltrol Rd, Keltrol Cg (Nutrasweet Kelco),
10 Rhodicare S and Rhodicare H (Rhodia Chimie); starch derivatives, for instance Primogel (Avebe); hydroxyethylcelluloses such as Cellosize QP3L, QP4400 H, QP30000H, HEC30000A and Polymer PCG10 (Amerchol), Natrosol 250HHR, 250MR, 250M, 250HHXR, 250HHX, 250HR,
15 HX (Hercules) and Tylose H1000 (Hoechst); hydroxypropylcelluloses, for instance Klucel EF, H, LHF, MF and G (Aqualon); carboxymethylcelluloses, for instance Blanose 7M8/SF, refined 7M, 7LF, 7MF, 9M31F, 12M31XP, 12M31P, 9M31XF, 7H, 7M31, 7H3SXF (Aqualon),
20 Aquasorb A500 (Hercules), Ambergum 1221 (Hercules), Cellogen HP810A, HP6HS9 (Montello) and Primellose (Avebe).

The composition may also comprise in replacement for or in combination with at least one
25 rheology modifier, at least one linear or non-linear, saturated or unsaturated C₆-C₃₀ carboxylic acid alkylamide, and optionally bearing one or more hydroxyl groups.

Moreover, the nitrogen of the amide group
30 may be monosubstituted or disubstituted. It is preferably monosubstituted.

The amide may comprise 1 to 20 oxyalkylene (oxyethylene and/or oxypropylene) units, preferably oxyethylene units.

When the oxidizing composition comprises one or more rheology modifiers, then this or these agent(s) generally represent(s) from 0.05% to 20% by weight and better still from 0.1% to 10% of the total weight of this composition.

(E) pH modifiers:


The pH of the oxidizing composition may be between 1.5 and 12.

However, it is preferable for this pH to be between 1.5 and 10 and better still between 1.5 and 7 in the case where the oxidizing composition is intended for bleaching keratin fibres, and for it to be between 6 and 12 and preferably between 7 and 11 when said composition is intended for permanently reshaping keratin fibres.

Such pH values may be obtained using acidifying or basifying agents.

As examples of acidifying agents that may be used, mention may be made of mineral or organic acids, for instance hydrochloric acid, phosphoric acid, orthophosphoric acid, acetic acid, tartaric acid, citric acid, lactic acid, boric acid and sulphonic acids.

The basifying agents may themselves be chosen especially from aqueous ammonia, ammonium or alkaline carbonates, alkanolamines such as monoethanolamine, diethanolamine and triethanolamine and derivatives thereof, hydroxyalkylamines, oxyethylenated and/or oxypropylenated ethylenediamines, sodium hydroxide, potassium hydroxide and the compounds corresponding to formula (XIX) below:



(XIX)

in which:

- 5 • R^{15} is a propylene residue optionally substituted with a hydroxyl group or a $\text{C}_1\text{-C}_4$ alkyl radical; whereas
- 10 • R^{16} , R^{17} , R^{18} and R^{19} , which are identical or different, represent a hydrogen atom, a $\text{C}_1\text{-C}_4$ alkyl radical or a $\text{C}_1\text{-C}_4$ hydroxyalkyl radical.

When the oxidizing composition comprises one or more acidifying agents or one or more basifying agents, then this or these agent(s) generally represent(s) from 0.01% to 30% by weight relative to

15 the total weight of this composition.

(F) Solvents:

The solvents that may be present in the oxidizing composition are especially water and mixtures

20 composed of water and of one or more cosmetically acceptable organic solvents, this or these organic solvent(s) possibly being, in particular, alcohols such as ethanol, isopropanol, benzyl alcohol, phenylethyl alcohol or cetyl alcohol, polyols, for instance

25 propylene glycol and glycerol; glycol ethers, for instance ethylene glycol monomethyl ether, monoethyl ether and monobutyl ether, and also glycol alkyl ethers, for instance diethylene glycol monoethyl ether or monobutyl ether.

30 This or these organic solvent(s), when it is (they are) present in the oxidizing composition, generally represent(s) from 0.5% to 20% by weight and

better still from 2% to 10% by weight relative to the total weight of this composition.

Depending on its intended use and the particular properties desired to be given thereto as a function of this use, the oxidizing composition may also comprise one or more adjuvants chosen from mineral or organic fillers such as silica or clays, binders such as vinylpyrrolidone, oils or waxes, polyalkylene glycols or polyalkylene glycol derivatives, lubricants such as polyol stearates or alkali metal or alkaline-earth metal stearates, antifoams, volatile or non-volatile, cyclic, linear or branched silicones, which are optionally modified, especially with amine groups, dyes, matting agents, for instance titanium oxides, preserving agents and/or fragrances.

Each of these adjuvants may represent, when it is present in the oxidizing composition, up to 30% by weight relative to the total weight of this composition.

In accordance with the invention, the oxidizing composition is preferably intended for dyeing, bleaching or permanently reshaping human keratin fibres, and more especially the hair.

A subject of the present invention is also a process for bleaching or permanently reshaping keratin fibres, successively comprising the steps consisting in:

- a) applying an oxidizing composition as defined above to keratin fibres;
- b) leaving the oxidizing composition to stand on the keratin fibres for a time that is sufficient to obtain the desired bleaching or permanent reshaping;
- c) rinsing the keratin fibres to remove the oxidizing composition therefrom;

d) optionally washing the keratin fibres one or more times, rinsing them after each wash, and optionally drying them;

said process also comprising, before step a), in the case of a permanent reshaping, the steps consisting in:

i) applying a reducing composition to the keratin fibres, said keratin fibres being placed under mechanical tension before, during or after said application;

ii) leaving the reducing composition to stand on the keratin fibres for a time that is sufficient to obtain the desired reshaping; and

iii) optionally rinsing the keratin fibres with water to remove the reducing composition therefrom.

When this process is a permanent-reshaping process, the first step of this process consists in applying a reducing composition to the hair. This application is performed lock by lock or all at once.

The reducing composition comprises at least one reducing agent, which may be chosen in particular from thioglycolic acid, cysteine, cysteamine, glyceryl thioglycolate, thiolactic acid, or thiolactic acid or thioglycolic acid salts.

The usual step for placing the hair under tension in a shape corresponding to the final shape desired for this hair (for example curls) may be performed by any means, especially mechanical means, which is suitable and known per se for holding the hair under tension, for instance rollers, curlers and the like.

Before performing the optional rinsing step (iii), the head of hair onto which the reducing composition has been applied should conventionally be left to stand for a few minutes, generally between

5 minutes and 1 hour and preferably between 10 and 30 minutes, so as to give the reducing agent enough time to act correctly on the hair. This waiting phase preferably takes place at a temperature ranging from 5 35°C to 45°C, while preferably also protecting the hair with a bonnet.

In the optional rinsing step, the hair impregnated with the reducing composition is then rinsed thoroughly with an aqueous composition.

10 Next, after the optional rinsing step, the oxidizing composition of the invention is applied to the hair (step a)), with the aim of fixing the new shape given to the hair.

15 As in the case of the application of the reducing composition, the head of hair onto which the oxidizing composition has been applied is then, conventionally, left in a standing or waiting phase that lasts a few minutes, generally between 3 and 30 minutes and preferably between 5 and 15 minutes.

20 If the tension of the hair is maintained by external means, these means (rollers, curlers and the like) may be removed from the head of hair before or after the fixing step.

25 Lastly, in the final step of the process according to the invention (step c), the hair impregnated with the oxidizing composition is rinsed thoroughly, generally with water.

30 When the process is a process for bleaching keratin fibres, said process comprises, as defined above, a step of applying an oxidizing composition according to the invention to the keratin fibres. Conventionally, a second step of the bleaching process according to the invention is a step of rinsing the keratin fibres.

A subject of the present invention is also a process for dyeing keratin fibres, successively comprising the steps consisting in:

5 e) applying a dye composition to these fibres;

f) developing the colour of said composition by applying to the fibres an oxidizing composition as defined above;

10 g) leaving the oxidizing composition to stand on the keratin fibres for a time that is sufficient to obtain the desired coloration;

h) rinsing the keratin fibres with water to remove the dye composition and the oxidizing composition therefrom.

15

According to another variant of the invention, the process successively comprises the steps consisting in:

20 i) applying to the keratin fibres a composition obtained by extemporaneous mixing, before application, of a dye composition and of an oxidizing composition as described previously;

25 j) leaving the composition to stand on the keratin fibres for a time that is sufficient to obtain the desired coloration;


k) rinsing the keratin fibres with water to remove the composition therefrom.

30 According to another particular embodiment of the invention, the dyeing process may comprise a preliminary step that consists in mixing, before application to the keratin fibres, a composition comprising at least one dye precursor with an oxidizing composition according to the invention, said oxidizing
35 composition allowing, by virtue of the presence of an

oxidizing agent and the presence of a complexing agent in accordance with the invention, the development of the dye precursor of the first composition, said resulting composition then being applied to the keratin
5 fibres.

Irrespective of the embodiment of this dyeing process, the time required for the development generally ranges between 3 and 60 minutes and more specifically between 5 and 40 minutes, the standing
10 time after application of the compositions to the keratin fibres ranging from 5 minutes to 1 hour and preferably from 10 to 30 minutes.

Another subject of the present invention is a device or "kit" for dyeing keratin fibres, comprising
15 at least two compositions A and B intended to be mixed together to obtain a ready-to-use dye composition, the composition A being the oxidizing composition and the composition B being a composition comprising at least one dye, said device being characterized in that the
20 composition A contains at least one or more compounds corresponding to the general formula (I) below:




25 in which:

- R represents a group CH_2OH or CO_2X , and
- X represents a hydrogen atom or a monovalent or divalent cation derived from an alkali metal, from an alkaline-earth metal, from a transition metal or
30 from an organic amine, or an ammonium cation;
- with the proviso that, when R represents CH_2OH , the compound (I) is other than gluconic acid and the salts thereof.

A subject of the invention is also a device or "kit" for bleaching keratin fibres, comprising at least two compositions C and D intended to be mixed together to obtain a ready-to-use oxidizing composition, said device being characterized in that at least one of the compositions C and D contains one or more oxidizing agents and at least one contains one or more compounds corresponding to the general formula (I) below:

10



in which:


- R represents a group CH_2OH or CO_2X , and
- 15 • X represents a hydrogen atom or a monovalent or divalent cation derived from an alkali metal, from an alkaline-earth metal, from a transition metal or from an organic amine, or an ammonium cation;
- with the proviso that, when R represents
- 20 CH_2OH , the compound (I) is other than gluconic acid and the salts thereof.

For the bleaching kits, when compound (I) is mucic acid, it will preferably be present in composition C and/or D in the presence of one or more oxidizing agents.

Finally, a subject of the invention is a device or "kit" for permanently reshaping keratin fibres, comprising at least two compositions E and F, composition E being an oxidizing composition and composition F being a reducing composition, said device being characterized in that composition E contains one or more oxidizing agents and at least one or more

30

compounds corresponding to the general formula (I) below:



5 in which:

- R represents a group CH_2OH or CO_2X , and
- X represents a hydrogen atom or a monovalent or divalent cation derived from an alkali metal, from an alkaline-earth metal, from a transition metal or from an organic amine, or an ammonium cation;
- with the proviso that, when R represents CH_2OH , the compound (I) is other than gluconic acid and the salts thereof.

15

Finally, a subject of the invention is the use of a composition as defined above, or of a process as defined above or of a device as defined above, for dyeing, bleaching or permanently reshaping human keratin fibres and more especially the hair.

20 Besides the preceding arrangements, the invention also comprises other arrangements which will emerge from the rest of the description that follows, which refer to embodiments of reducing compositions for dyeing, bleaching and permanently reshaping keratin fibres.

25 It goes without saying that these examples are given for illustrative purposes and do not in any way limit the subject of the invention.

DETAILED DESCRIPTION OF SPECIFIC EMBODIMENTS**EXAMPLE 1**

Three ready-to-use oxidizing compositions
5 based on aqueous hydrogen peroxide solution - A, B and
C, respectively - for dyeing, bleaching and permanently
reshaping keratin fibres were prepared. Their
qualitative and quantitative composition is presented
in Table I below, in which the amounts of the various
10 constituents are expressed in grams.

Table I

| Constituents | Composition A | Composition B | Composition C |
|--|------------------|------------------|------------------|
| Cetyl alcohol | 3 | 3 | 3 |
| Sodium lauryl sulphate | 0.5 | 0.5 | 0.5 |
| Polyglycolated oleyl alcohol (2 mol) | 0.45 | 0.45 | 0.45 |
| Polyglycerolated oleyl alcohol (4 mol) | 0.35 | 0.35 | 0.35 |
| Simethicone | 0.045 | 0.045 | 0.045 |
| Mucic acid* | - | 0.02 | 0.03 |
| Gluconic acid** | 0.1 | - | - |
| Tetrasodium pyrophosphate decahydrate | 0.02 | 0.02 | 0.04 |
| Sodium salicylate | - | - | 0.035 |
| Sodium stannate | 0.04 | 0.04 | - |
| Aqueous 50% hydrogen peroxide solution | 12 | 24 | 18 |
| Aqueous 85% phosphoric acid solution | qs pH=2 | qs pH=2 | qs pH=2 |
| Water | qs 100 g | qs 100 g | qs 100 g |

* Mucilance from Soliance

** Gluconal® GA-50-SG from Akzo Nobel

5 EXAMPLE 2

In this example, two compositions - D and E, respectively - intended for use in bleaching were prepared, these compositions both being anhydrous

compositions, in pulverulent form, comprising a complexing agent in accordance with the invention.

Table II shows the qualitative and quantitative compositions of these compositions, the amounts being expressed as percentages by mass.

TABLE II

| Constituents | Composition D | Composition E |
|---|---------------|---------------|
| Potassium persulphate | 39.5 | 46 |
| Sodium persulphate | 30 | 15 |
| Sodium disilicate | - | 15 |
| Sodium metasilicate | 14 | 4 |
| Ammonium chloride | 6 | 4 |
| Urea | - | 4.5 |
| Mucic acid* | 1 | 0.8 |
| Hexamethyl diisocyanate/polyethylene glycol copolymer containing α and ω stearyl polyoxyethylene end groups** | 0.5 | - |
| Acrylic acid/(C10/C30) alkyl methacrylate cross-linked copolymer*** | - | 1 |
| Potato carboxymethyl starch/weakly crosslinked sodium salt | - | 2 |
| Guar gum | 2 | 1.5 |
| Dye (ultramarine) | 0.5 | - |
| Titanium oxide | 0.5 | 1 |
| Sodium lauryl sulphate | 2 | 2 |
| Calcium stearate | 1 | 1 |
| Fumed silica of hydrophilic nature | 3 | 0.2 |
| Hydrogenated polydecene**** | - | 2 |

* Mucilance from Soliance;

** SER-AD FX 1100 from Servo Delden;

*** Carbopol ETD 2020 from Noveon;

**** Silkflo 366 NF Polydecene from Amoco Chemical

The bleaching composition D (40 g) is mixed
5 with the oxidizing composition based on aqueous
hydrogen peroxide solution A (80 g). The ready-to-use
bleaching mixture thus obtained is applied for 45
minutes, under a hood, to dark natural hair, and is
then rinsed out thoroughly with water. After these
10 operations, strong, uniform bleaching is obtained.

The bleaching composition E (40 g) is mixed
with the oxidizing composition based on aqueous
hydrogen peroxide solution C (60 g). The ready-to-use
bleaching mixture thus obtained is applied for 30
15 minutes, under a hood, to dark natural hair, and is
then rinsed out thoroughly with water. After these
operations, strong, uniform bleaching is obtained, and
the hair is soft, shiny and easy to disentangle.

20 EXAMPLE 3

In this example, two compositions - F and
G, respectively - intended for use in bleaching were
prepared, these compositions both being anhydrous
compositions, in paste form, comprising a complexing
25 agent in accordance with the invention.

Table III shows the qualitative and
quantitative compositions of these compositions, the
amounts being expressed as percentages by mass.

TABLE III

| Constituents | Composition F | Composition G |
|---|---------------|---------------|
| Potassium persulphate | 35.8 | 35.6 |
| Sodium persulphate | 6 | 6 |
| Sodium disilicate | 15 | 15 |
| Sodium metasilicate | 3 | 3 |
| Ammonium chloride | 4.2 | 4.2 |
| Mucic acid* | 1 | 1 |
| Hexamethyl diisocyanate/polyethylene glycol copolymer containing α and ω stearyl polyoxyethylene end groups** | 2 | 0.5 |
| Acrylic acid/(C10/C30) alkyl methacrylate cross-linked copolymer *** | - | 0.5 |
| Potato carboxymethyl starch/weakly crosslinked sodium salt | 2 | 1 |
| Guar gum | - | 2 |
| Dye (ultramarine) | 0.5 | 0.5 |
| Titanium oxide | 1 | 1 |
| Sodium lauryl sulphate | 3.5 | 3.5 |
| Calcium stearate | 2 | 2 |
| Fumed silica of hydrophilic nature | 0.5 | 0.5 |
| Isopropyl palmitate | 22.5 | - |
| Beeswax | 1 | - |
| Hydrogenated polydecene**** | - | 23 |
| Fumed silica of hydrophobic nature | - | 0.7 |

* Mucilance from Soliance;

** SER-AD FX 1100 from Servo Delden;

*** Carbopol ETD 2020 from Noveon;

**** Silkflo 366 NF Polydecene from Amoco Chemical.

5 The bleaching composition F (40 g) is mixed with the oxidizing composition based on aqueous hydrogen peroxide solution A (80 g). The ready-to-use bleaching mixture thus obtained is applied for 45 minutes, under a hood, to dark natural hair, and is then rinsed out thoroughly with water. After these
10 operations, strong uniform bleaching is obtained.

The bleaching composition G (40 g) is mixed with the oxidizing composition based on aqueous hydrogen peroxide solution C (60 g). The ready-to-use
15 bleaching mixture thus obtained is applied for 25 minutes, under a hood, to dark natural hair, and is then rinsed out thoroughly with water. After these operations, strong, uniform bleaching is obtained, and the hair is soft, shiny and easy to disentangle.

20

EXAMPLE 4

In this example, in a first stage, a reducing composition is prepared.

25 Table IV shows the qualitative and quantitative compositions of these compositions, the amounts being expressed as percentages by mass.

TABLE IV

| Constituents | Composition H |
|---|---------------|
| Thioglycolic acid | 9.2 |
| Arginine | 15 |
| 20% aqueous ammonia | 1.86 |
| Ammonium carbonate | 4.5 |
| Cocoylamidopropylbetaine/glyceryl monolaurate (25/5) as an aqueous 30% solution | 1.3 |
| Peptizer | 0.8 |
| Isostearyl alcohol | 12 |
| Complexing agent | 0.4 |
| Fragrance | 0.4 |
| Water | qs 100 g |

Composition H is applied to a lock of wet hair, which has been rolled up beforehand on a curler 9 mm in diameter, the leave-in time being 10 minutes. Next, the locks thus treated are rinsed thoroughly with water.

In a second stage, an oxidizing composition, referred to as composition I, is prepared. Table V shows the qualitative and quantitative composition, the amounts being expressed as percentages by mass.

TABLE V

| Constituents | Composition I |
|--|---------------|
| Cetyl alcohol | 3 |
| Sodium lauryl sulphate | 0.5 |
| Polyglycerolated (2 mol) oleyl alcohol | 0.45 |
| Polyglycerolated (4 mol) oleyl alcohol | 0.35 |
| Simethicone | 0.045 |
| Mucic acid* | 0.03 |
| Tetrasodium pyrophosphate decahydrate | 0.02 |
| Sodium salicylate | - |
| Sodium stannate hexahydrate | 0.04 |
| 50% aqueous hydrogen peroxide solution | 5.4 |
| Aqueous 85% phosphoric acid solution | qs pH = 2 |
| Water | qs 100 g |

* Mucilance from Soliance

- 5 Composition I is applied to the locks previously treated with the reducing composition H, by applying said composition I for a leave-in time of 10 minutes. Next, the locks are rinsed thoroughly with water. Finally, the hair is unrolled from the roller and then dried. The lock thus treated is wavy.